




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>H01F 6/00, H02J 3/18</b>		A1	(11) International Publication Number: <b>WO 99/28921</b>
(21) International Application Number: <b>PCT/EP98/07740</b>		(43) International Publication Date: <b>10 June 1999 (10.06.99)</b>	
(22) International Filing Date: <b>30 November 1998 (30.11.98)</b>			
(30) Priority Data: <b>9725318.1 28 November 1997 (28.11.97) GB</b>			
(71) Applicant (for all designated States except US): <b>ASEA BROWN BOVERI AB [SE/SE]; S-721 78 Västerås (SE).</b>		(81) Designated States: <b>AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</b>	
(72) Inventors; and		Published	
(75) Inventors/Applicants (for US only): <b>HOLMBERG, Pär [SE/SE]; Haga Parkgata 6C, S-723 36 Västerås (SE). FROMM, Udo [DE/SE]; Liegatan 33, S-724 67 Västerås (SE). SASSE, Christian [DE/SE]; Drottninggatan 4B, S-724 64 Västerås (SE).</b>		With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(74) Agent: <b>NEWBY, Martin, John; J.Y. &amp; G.W. Johnson, Kingsbourne House, 229-231 High Holborn, London WC1V 7DP (GB).</b>			

## (54) Title: MAGNETIC ENERGY STORAGE



## (57) Abstract

The invention relates to an SMES device comprising a coil (1) for connection in series with a voltage source and wound from an electrically insulated superconducting cable (12). The invention also relates to high voltage system comprising an SMES device, in which the SMES device has superconducting conductor means which is insulated against high voltage by an electric insulation system arranged concentrically around the conductor means.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

### Magnetic Energy Storage

#### Technical Field

This invention relates to a superconducting magnetic energy storage (SMES) device of the kind comprising a coil 5 for connection in series with a voltage source, e.g. a dc voltage source, and wound from a superconducting cable having superconducting means which, in use, is maintained at cryogenic temperatures below its critical temperature ( $T_c$ ) and which is surrounded by electrical insulation, and switch 10 means for short-circuiting the coil. Although the invention primarily relates to high-temperature superconducting cables, the invention is also applicable to low-temperature superconducting cables because of the high magnetic field in magnetic energy storage.

#### 15 Background of the Invention

The concept of superconducting magnetic energy storage (SMES) is well known. The principle of SMES is that energy is stored as magnetic energy in a coil having an inductance  $L$ , the amount of energy stored being given by 20  $\frac{1}{2}L.I^2$ , where  $I$  is the dc current.

The inductance  $L$  of a coil is given through the well-known relationship:

$$L = (\mu_0\mu_r N^2 A) \div l$$

where  $\mu_0 = 4\pi \times 10^{-7}$  As/Vm,  $\mu_r$  is the permeability of material 25 in the magnetic circuit of a solenoid (which is 1 for air and around 10000 or higher for oriented laminated quality steel, provided the magnetic flux density  $B$  is sufficiently low),  $N$  is the number of windings,  $A$  is the cross-sectional area and  $l$  the length of the coil.

30 Since the magnetic energy  $E$  to be stored in a SMES device is  $E = \frac{1}{2}L.I^2$ , it is evident that both current and inductance should be maximised. The maximum current is

- 2 -

given through the properties of a superconductor at given temperature, magnetic field and current density.

The inductance could be maximised by utilising a magnetic material in the magnetic circuit having a high 5 permeability. Unfortunately, there are no known materials having a high permeability at high flux densities. In fact at B around 2 Tesla, even the best materials go into saturation and, in addition, core losses (hysteresis and eddy) increase drastically in the saturation region. If the 10 magnetic moments of a material are perfectly aligned, it is theoretically possible to reach a maximum flux density of 2.12 Tesla for iron. Due to the high currents of superconductors, the flux densities are also high, in fact densities of 5 T and more are not uncommon. Thus magnetic 15 material should not be included in the magnetic circuit, at least not in regions of high B. In general,  $\mu_r$  is then equal to one.

The inductance can also be increased by choosing a high number of windings N. If a solenoid is wound, then the 20 winding density, that is the number of windings per unit length, is determined by the cross-sectional area of the conductor and its insulation.

The ratio of cross-sectional area to length is also an important parameter for the inductance. The aim should 25 be to achieve a large cross-section and a short coil length. Thus pancake or disk windings are often designed as a preferred coil for achieving high inductances.

SMES devices have a high efficiency and high energy 30 density compared with competing systems for storing energy. SMES devices can have a rapid response to demands of storing or discharging. In addition SMES devices can be used not only for load-levelling but also for load-following, for spinning reverse, for transient stabilization and for synchronous resonance damping. SMES can provide not only

- 3 -

energy savings but also a larger freedom of power system operation.

Normally SMES devices are built for storing energy up to about 1 MW, but there is a demand for SMES devices with 5 higher energy storage capability. Current solutions for larger SMES devices involve oversizing of equipment and the usage of multiple feeders connected to different transmission systems.

Conventional SMES devices operate with high current 10 source at low voltage. When used in an ac power system an ac-dc converter can be used for converting the power to and from the SMES device. Operation of SMES devices connected to power networks will include a transformer.

A SMES device is normally built as a coil. In order 15 to maximize the storage capability, the inductance should be as high as possible. Therefore, the superconductor is wound into a pancake, for example a 4 T background coil for SMES as described in "Design and construction of the 4 T background coil for the navy SMES cable test apparatus", 20 IEEE Transactions on Applied Superconductivity, Vol 7, No 2, June 1997. The SMES devices are normally connected to voltages of up to about 500 V and currents of around 1000 A.

A large SMES device for 30MW is described in IEEE 25 Transactions on Applied Superconductivity, Vol 7, No. 2, June 1997 in the article "Quench Protection and Stagnant Normal Zones in a Large Cryostable SMES" and involves a coil assembled from a multiple double pancake structure. The application of this SMES device requires a high power discharge and the operating voltage is desired to be up to 30 3.4 kV.

Another method of storing magnetic energy can be by winding the conductor directly as a solenoid. An example of a test coil is described in "Design, manufacturing and cold test of superconducting coil and its cryostat for SMES

- 4 -

applications", IEEE Transactions on Applied Superconductivity, Vol 7, No. 2, June 1997, where a solenoid consists of a NbTi conductor with 4500 turns, 30 layers and an inner winding radius of 120 mm.

5 Summary of Invention

An aim of the present invention is to have a high voltage system comprising an SMES device, where superconducting conductors of the SMES device are insulated against high voltage and the insulation is concentric around 10 the conductors.

According to one aspect of the present invention there is provided a SMES device of the kind referred to, characterised in that the said electrical insulation comprises an inner layer of semiconducting material 15 electrically connected to said superconducting means, an outer layer of semiconducting material at a controlled electric potential, e.g. earth potential, along its length and an intermediate layer of solid electrically insulating material positioned between said inner and outer layers.

20 In this specification the term "semiconducting material" means a material which has a considerably lower conductivity than an electrical conductor but which does not have such a low conductivity that it is an electrical insulator. Suitably, but not exclusively, a "semicon- 25 ducting material" should have a volume resistivity of from  $1-10^5 \Omega \cdot \text{cm}$ , preferably from  $1-10^3 \Omega \cdot \text{cm}$ , more preferably  $10-500 \Omega \cdot \text{cm}$  and most preferably  $10-100 \Omega \cdot \text{cm}$ , typically  $20 \Omega \cdot \text{cm}$ .

The present invention is not limited to high temperature superconductivity. Due to the high magnetic 30 field in magnetic energy storage, low temperature superconductors are still attractive, even though they require cryostats operating between 1-15 K, depending on the type of low temperature superconductor utilised. Well known examples are based on Niobium, such as NbTi, Nb<sub>3</sub>Sn and Nb<sub>3</sub>Al.

- 5 -

Other examples are V<sub>3</sub>Ga and Nb<sub>3</sub>Ge. The most common superconductor used is NbTi which can be utilised in magnetic field densities up to approximately 9 T at 4.2 K (or 11 T at 1.8 K). For higher field densities, NbTi cannot 5 be used and is replaced by Nb<sub>3</sub>Sn

An SMES device according to the invention is made from cable-like conductors which can be manufactured according to conventional principles of cable manufacturing. The insulation is such that it can withstand high voltages 10 in the range of 1 kV and upwards to the voltages used for high voltage dc current transmission.

The invention allows a high voltage system comprising an SMES device. The SMES device can be coupled to a high voltage network. This means that load-following can be 15 effected on a transmission or distribution network and not only for a specific use on lower voltage as is the case with the SMES devices of today. This opens up possibilities to use SMES for storing energy to smooth load variations in a high voltage network on, for example, day-night basis or 20 east-west basis. Also, an SMES device on high voltage can be capable of injecting large amounts of energy into a system under a short time, that is injecting a large amount of real power, which will allow for good control of the system.

25 The present invention allows a high voltage system comprising an SMES system which can be directly coupled to a high voltage of up to 800 kV and even above without the need to transform the voltage down. This can be achieved by insulating the superconducting means with an insulation 30 system that can withstand high voltages. Such insulation systems are known for example from high voltage dc transmission systems.

A specific advantage of the present invention is that, since the SMES device operates at high voltage, the 35 current can be reduced for a given power density. Thus, by

- 6 -

way of example only, for a conventional SMES device operating at 20 kV, a similarly powered SMES device according to the invention can operate at about 150 kV resulting in a reduction of the current of about 7.5 times.

5 Since the magnetic force in the cable is proportional to current x magnetic flux density (B), the magnetic force is effectively reduced about 7.5 times. Furthermore, the amount of semiconductor saved will, in this example, amount to approximately 7.5 times. Similarly, the cooling losses

10 will be essentially reduced. All these factors improve the economic attractiveness of the SMES device.

A further advantage with an SMES device operating at high voltages is that charging and discharging can be rapid. It is normally very time-consuming to charge, at least

15 larger SMES devices, and by being able to connect the SMES device to a high voltage the charging time can be substantially reduced. Also the power that can be delivered from the SMES device is increased by increasing the voltage over the SMES device.

20 Another advantage is that an SMES device can be installed close to a large power generating unit, such as a nuclear power station. At a rapid close-down of a nuclear power station, there are great strains on the network. These can be effectively smoothed by a high voltage SMES

25 device that is able to inject the corresponding power into the system and then allow for a slow ramp down of the power.

Another advantage of a high voltage SMES device is that there is no need for a transformer to be provided for transforming power to and from the SMES device. The SMES

30 device can be directly coupled to a transmission or distribution network without intermediate step-up transformers. The elimination of transformers in the system leads to higher efficiency of the system. The performance of the SMES system will be greatly improved by being able to

35 connect the SMES device directly to a power network and by

- 7 -

the increased efficiency that is created by the reduction of the number of components in the system.

Another advantage is that the SMES device is wholly electrically insulated in such a way that there is no 5 electric field outside the superconducting cable. This facilitates the design of the mechanical structure holding the cables. It is possible to scale up the SMES device with less problems with the mechanical stability of the SMES device.

10 Another advantage of an SMES device with high voltage insulation is that discharges that normally occur in the electric system are prevented by the insulation system and the risk for bubble formation in the cooling medium is therefore reduced.

15 By connecting the coil directly to a high voltage dc source, e.g. to a high voltage ac-dc converter, charging and discharging of the coil is simplified. In particular, in an ac power transmission system, the need to transform the ac voltage down prior to connection to an ac-dc converter is 20 eliminated. By holding the semiconducting outer layer at a controlled electric potential, e.g. ground or earth potential along its length, e.g. at spaced apart intervals along its length, the electric field generated by the superconducting means is contained within the electrical 25 insulation.

Conveniently the coil and switch means are enclosed within a cryostat for maintaining the temperature of the superconducting means below its critical temperature ( $T_c$ ). Alternatively, or in addition, the superconducting means may 30 be internally cooled by a cryogenic fluid, e.g. liquid nitrogen, and externally thermally insulated. For example thermal insulation may conveniently be provided between the superconducting means and the surrounding electrical insulation. In some cases the electrical insulation can 35 also function as thermal insulation.

- 8 -

By using for the intermediate layer only materials which can be manufactured with few, if any, defects and by providing the intermediate layer with the spaced apart inner and outer layers of semiconducting material having similar 5 thermal properties, thermal and electric loads within the insulation are reduced. In particular the insulating intermediate layer and the semiconducting inner and outer layers should have at least substantially the same coefficients of thermal expansion ( $\alpha$ ) so that defects caused 10 by different thermal expansions when the layers are subjected to heating or cooling will not arise. Ideally the electrical insulation is of substantially unitary construction. The layers of the insulation may be in close 15 mechanical contact but are preferably joined or united together. Preferably, for example, the radially adjacent layers will be extruded together around the superconducting means. The superconducting cable is flexible at normal ambient temperatures and thus can be bent or flexed into its desired winding shape prior to operation at cryogenic 20 temperatures.

Conveniently the electrically insulating intermediate layer comprises solid thermoplastics material, such as low or high density polyethylene (LDPE or HDPE), polypropylene (PP), polybutylene (PB), polymethylpentene (PMP), ethylene 25 (ethyl) acrylate copolymer, cross-linked materials, such as cross-linked polyethylene (XLPE), or rubber insulation, such as ethylene propylene rubber (EPR) or silicone rubber. The semiconducting inner and outer layers may comprise similar material to the intermediate layer but with conducting 30 particles, such as carbon black, soot or metallic particles, embedded therein. Generally it has been found that a particular insulating material, such as EPR, has similar mechanical properties when containing no, or some, carbon particles.

35 The screens of semiconducting inner and outer layers form substantially equipotential surfaces on the inside and outside of the insulating intermediate layer so that the

- 9 -

electric field, in the case of concentric semiconducting and insulating layers, is substantially radial and confined within the intermediate layer. In particular, the semiconducting inner layer is arranged to be in electrical contact with, and to be at the same potential as, the superconducting means which it surrounds. The semiconducting outer layer is designed to act as a screen to prevent losses caused by induced voltages. Induced voltages could be reduced by increasing the resistance of the outer layer. Since the thickness of the semiconducting layer cannot be reduced below a certain minimum thickness, the resistance can only be reduced by selecting a material for the layer having a higher resistivity. However, if the resistivity of the semiconducting outer layer is too great the voltage potential between adjacent spaced apart points at a controlled, e.g. earth, potential will become sufficiently high as to risk the occurrence of corona discharge with consequent erosion of the insulating and semiconducting layers. The semiconducting outer layer is therefore a compromise between a conductor having low resistance and high induced voltage losses but which is easily connected to a controlled electric potential, typically earth or ground potential, and an insulator which has high resistance with low induced voltage losses but which needs to be connected to the controlled electric potential along its length. Thus the resistivity  $\rho_s$  of the semiconducting outer layer should be within the range  $\rho_{\min} < \rho_s < \rho_{\max}$ , where  $\rho_{\min}$  is determined by permissible power loss caused by eddy current losses and resistive losses caused by voltages induced by magnetic flux and  $\rho_{\max}$  is determined by the requirement for no corona or glow discharge.

If the semiconducting outer layer is earthed, or connected to some other controlled electric potential, at spaced apart intervals along its length, there is no need for an outer metal shield and protective sheath to surround the semiconducting outer layer. The diameter of the cable is thus reduced allowing more turns to be provided for a given size of winding.

- 10 -

The electrical insulation can be extruded over the superconducting means or a lapped concept can be used. This can include both the semiconducting layers and the electrically insulating layer. An insulation can be made of 5 an all-synthetic film with inner and outer semiconducting layers made of polymeric thin film of, for example, PP, PET, LDPE or HDPE with embedded conducting particles, such as carbon black or metallic particles.

For the lapped concept a sufficiently thin film will 10 have butt gaps smaller than the so-called Paschen minima, thus rendering liquid impregnation unnecessary. A dry, wound multilayer thin film insulation has also good thermal properties and can be combined with a superconducting pipe as an electric conductor and have coolant, such as liquid 15 nitrogen, pumped through the pipe.

Another example of electrical insulation is similar to a conventional cellulose based cable, where a thin cellulose based or synthetic paper or non-woven material is 20 lap wound around a conductor. In this case the semiconducting layers can be made of cellulose paper or non-woven material made from fibres of insulating material and with conducting particles embedded. The insulating layer can be made from the same base material or another material 25 can be used.

Another example is obtained by combining film and 25 fibrous insulating material, either as a laminate or as co-lapped. An example of this insulation system is the commercially available so-called paper polypropylene laminate, PPLP, but several other combinations of film and 30 fibrous parts are possible. In these systems various impregnations such as mineral oil or liquid nitrogen can be used.

The superconducting means may comprise low 35 temperature semiconductors, but most preferably comprises high-temperature superconducting (HTS) materials, for

- 11 -

example HTS wires or tape helically wound on an inner tube. The HTS tape conveniently comprises silver-sheathed BSCCO-2212 or BSCCO-2223 (where the numerals indicate the number of atoms of each element in the [Bi, Pb], Sr, Ca, Cu, O<sub>x</sub> molecule) and hereinafter such HTS tapes will be referred to as "BSCCO tape(s)". BSCCO tapes are made by encasing fine filaments of the oxide superconductor in a silver or silver oxide matrix by a powder-in-tube (PIT) draw, roll, sinter and roll process. Alternatively the tapes may be formed by a surface coating process. In either case the oxide is melted and resolidified as a final process step. Other HTS tapes, such as TiBaCaCuO (TBCCO-1223) and YBaCuO (YBCO-123) have been made by various surface coating or surface deposition techniques. Ideally an HTS wire should have a current density beyond  $j_c \sim 10^5$  Acm<sup>-2</sup> at operation temperatures from 65 K, but preferably above 77 K. The filling factor of HTS in the matrix needs to be high so that the engineering current density  $j_e \geq 10^4$  Acm<sup>-2</sup>.  $j_c$  should not drastically decrease with applied field within the Tesla range. The helically wound HTS tape is cooled to below the critical temperature  $T_c$  of the HTS by a cooling fluid, preferably liquid nitrogen, passing through the inner support tube.

A cryostat layer may be arranged around the helically wound HTS tape to thermally insulate the cooled HTS tape from the electrically insulating material. Alternatively, however, the cryostat may be dispensed with. In this latter case, the electrically insulating material may be applied directly over the superconducting means. Alternatively a space may be provided between the superconducting means and the surrounding insulating material, the space either being a void space or a space filled with compressible material, such as a highly compressible foamed material. The space reduces expansion/contraction forces on the insulation system during heating from/cooling to cryogenic temperatures. If the space is filled with compressible material, the latter can be made semiconducting to ensure electrical contact between the semiconducting inner layer and the superconducting means.

- 12 -

Other designs of superconducting means are possible, the invention being directed to transformer windings, formed from superconducting cables of any suitable design having a surrounding electrical insulation of the type described 5 above. For example other types of superconducting means may comprise, in addition to internally cooled HTS material, externally cooled HTS material or externally and internally cooled HTS material. In the latter type of HTS cable, two concentric HTS conductors separated by cryogenic insulation 10 and cooled by liquid nitrogen are used to transmit electricity. The outer conductor acts as the return path and both HTS conductors may be formed of one or many layers of HTS tape for carrying the required current. The inner conductor may comprise HTS tape wound on a tubular support 15 through which liquid nitrogen is passed. The outer conductor is cooled externally by liquid nitrogen and the whole assembly may be surrounded by a thermally insulating cryostat.

According to another aspect of the present invention 20 there is provided an electric power transmission system characterised in that an SMES device according to said one aspect is connected to a high voltage source, preferably a high voltage dc source.

The SMES device may be in the form of a cable and 25 preferably a cable with high inductance. The electrical insulation of the cable can be made of conductor tape or wire with several layers where all layers are wound in the same direction, instead of as conventionally winding the layers in opposite direction in order to compensate for the 30 inductance. Such cable with an extruded insulation system could be directly incorporated into a transmission line, for example as one line of a bipolar dc system.

It is also possible to use such cable to build up a solenoid with high inductance.

- 13 -

The invention as herein described can also be used with conventional low-temperature superconducting materials and with coolants such as liquid helium.

It is also possible to use the invention with an ac source. The losses are larger for an ac SMES device but if the losses are acceptable for the system to be designed, the principle of the invention is applicable.

Brief Description of the Drawings

Embodiments of the invention will now be described, 10 by way of example only, with particular reference to the accompanying drawings, in which:

Figure 1 is a circuit diagram of an SMES device according to the present invention;

Figure 2 is a schematic sectional view, on an 15 enlarged scale, through part of one embodiment of a high-temperature superconducting cable from which the coil of the SMES device of Figure 1 is wound;

Figure 3 is a schematic sectional view, on an 20 enlarged scale, of another embodiment of high-temperature superconducting cable from which the coil of the SMES device of Figure 1 can be wound;

Figure 4 is a schematic view of two high voltage ac networks coupled together via a high voltage dc network and incorporating an SMES device on the dc 25 side;

Figure 5 is a schematic view of an SMES incorporated in a high voltage dc network; and

Figure 6 is a schematic view of two converter stations with voltage source converters and combined 30 with a high voltage bipolar dc link.

- 14 -

Figure 1 shows a coil 1 having an inductance L formed of high-temperature ( $T_c$ ) superconducting (HTS) cable 12 (see Figure 2) which is connected with a high dc voltage source 2, e.g. the dc side of a high voltage ac-dc converter 5 connected to an ac power transmission line. A switch 3 is connected in parallel with the high dc voltage source 2 and is operable to short-circuit the coil 1.

When the coil 1 is connected to the dc voltage source 2, a dc current I flows and charges the coil. Due to the 10 high current density of the superconducting cable and its virtually zero resistance, energy is simply stored by closing the switch 3 and short-circuiting the coil. The energy in the coil is stored as magnetic energy having a value of  $\frac{1}{2}L.I^2$ . The coil 1 is thus able to store electrical 15 energy and to provide electrical power at a fast rate when required at times of peak consumption.

The superconducting cable 12 from which the coil 1 is formed comprises an inner tubular support 13, e.g. of copper or a highly resistive metal, such as copper-nickel alloy, on 20 which is helically wound elongate HTS material, for example BSCCO tape or the like, to form a superconducting layer 14 around the tubular support 13. A cryostat 15, arranged outside the superconducting layer, comprises two spaced apart flexible corrugated metal tubes 16 and 17. The space 25 between the tubes 16 and 17 is maintained under vacuum and contains thermal superinsulation 18. Liquid nitrogen, or other cooling fluid, is passed along the tubular support 13 to cool the surrounding superconducting layer 14 to below its critical superconducting temperature  $T_c$ . The tubular 30 support 13, superconducting layer 14 and cryostat 15 together constitute superconducting means of the cable 12.

Solid electrical insulation, e.g. of plastics material, is arranged outside the superconducting means. The electrical insulation comprises an inner semiconducting 35 layer 20, an outer semiconducting layer 21 and, sandwiched between these semiconducting layers, an insulating layer 22.

- 15 -

The layers 20-22 preferably comprise thermoplastics materials providing a substantially unitary construction. The layers may be in close mechanical contact with each other but are preferably solidly connected to each other at 5 their interfaces. Conveniently these thermoplastics materials have similar coefficients of thermal expansion and are preferably extruded together around the inner superconducting means. The electrical insulation conveniently has an electric field stress of no more than 10 0.2 kV/mm.

By way of example only, the solid insulating layer 22 may comprise cross-linked polyethylene (XLPE). Alternatively, however, the solid insulating layer may comprise other cross-linked materials, low density 15 polyethylene (LDPE), high density polyethylene (HDPE), polypropylene (PP), polymethylpentene (PMP), ethylene (ethyl) acrylate copolymer, or rubber insulation, such as ethylene propylene rubber (EPR), ethylene-propylene-diene monomer (EPDM) or silicone rubber. The semiconducting 20 material of the inner and outer layers 20 and 21 may comprise, for example, a base polymer of the same material as the solid insulating layer 22 and highly electrically conductive particles, e.g. particles of carbon black or metallic particles, embedded in the base polymer. The 25 volume resistivity of these semiconducting layers, typically about 20 ohm·cm, may be adjusted as required by varying the type and proportion of carbon black added to the base polymer. The following gives an example of the way in which resistivity can be varied using different types and 30 quantities of carbon black.

- 16 -

<u>Base Polymer</u>	<u>Carbon Black Type</u>	<u>Carbon Black Quantity (%)</u>	<u>Volume Resistivity <math>\Omega \cdot \text{cm}</math></u>
Ethylene vinyl acetate copolymer/nitrite rubber	EC carbon black	~15	350-400
-"-	P-carbon black	~37	70-10
-"-	Extra conducting carbon black, type I	~35	40-50
-"-	Extra conducting black, type II	~33	30-60
Butyl grafted polyethylene	-"-	~25	7-10
Ethylene butyl acrylate copolymer	Acetylene carbon black	~35	40-50
-"-	P carbon black	~38	5-10
Ethylene propene rubber	Extra conducting carbon black	~35	200-400

The outer semiconductive layer 21 is connected to a desired controlled electric potential, e.g. earth potential, at spaced apart regions along its length, the specific spacing apart of adjacent controlled potential or earthing 30 points being dependent on the resistivity of the layer 21.

The semiconducting layer 21 acts as a static shield and by controlling the electric potential of the outer layer, e.g. to earth potential, it is ensured that the electric field of the superconducting cable is retained 35 within the solid insulation between the semiconducting layers 20 and 21. Losses caused by induced voltages in the layer 21 are reduced by increasing the resistance of the layer 21. However, since the layer 21 must be at least of a certain minimum thickness, e.g. no less than 0.8 mm, the 40 resistance can only be increased by selecting the material of the layer to have a relatively high resistivity. The resistivity cannot be increased too much, however, else the voltage of the layer 21 mid-way between two adjacent earthing points will be too high with the associated risk of 45 corona discharges occurring.

- 17 -

Instead of, or in addition to, internally cryogenically cooling the HTS cable 12, the coil 1 and switch 3 may be enclosed within a cryostat 6 (shown schematically in dashed lines in Figure 1) for keeping the 5 coil 1 at temperatures below the critical temperature of the superconducting means. In this case the thermally insulating cryostat 15 need not be included in the HTS cable described above with reference to Figure 2. Figure 3 shows a typical design of cable having no cryostat 15. In this 10 case the electrical insulation, provided by the layers 20-22, is extruded directly over the superconducting layer 14 wound on the tubular support 13. Although not shown, an annular gap may be provided between the electric insulation and the layer 14 to cater for the differences in thermal 15 expansion/contraction of the electrical insulation and the layer 14. This annular gap could be a void space or could be filled with compressible material, such as highly compressible foam material. If such an annular gap is provided, the semiconducting inner layer 20 is preferably 20 placed in electrical contact with the superconducting layer 14. For example if the compressible foam material is included in the annular gap the foam material may be made semiconducting.

Figure 4 shows a high voltage system comprising two 25 high voltage ac networks, N1 and N2, T1Y and T2Y are converter transformers in Y/Y coupling and T1D and T2D are converter transformers in Y/D coupling. SCR11, SCR12, SCR21 and SCR22 are series-connected 6-pulse line-commutated bridge-connected converters. The converters SCR11 and SCR12 30 are linked with the converters SCR21 and SCR22 via a dc link DCL which comprises an energy storage device in the form of a superconducting magnetic storage device SMES.

The voltage over the converters SCR11 and SCR12 is U1 and the voltage over converters SCR21 and SCR22 is U2. U1 35 and U2 are each controlled in a conventional manner by control equipment (not shown) connected with its respective

- 18 -

converter. The current  $I_d$  runs through the dc link DCL and the device SMES.

In the system shown in Figure 4,  $U_1 - U_2 = L \cdot dI/dt$ , which means the charging and discharging of the device SMES 5 can be controlled by the control angles of the converters. One or both converters can charge or discharge the SMES. By controlling  $U_1=U_2$ , the content of energy of the SMES can be unaffected.

Figure 5 shows the same basic high voltage system as 10 Figure 4. In Figure 5, however, the superconducting magnetic energy storage device SMES is used as a storage device for the ac network N1 and is charged via the converters SCR11 and SCR12, with switch S1 closed and switch S2 open. During charging of the device SMES, the current 15 through the coil can be measured and charging continues until a nominal value is reached. When the SMES is fully charged, S1 opens and S2 closes. For feeding the network N1, for example in the case of a power loss on the network, S1 closes and S2 is opened.

20 In the Figure 5 system, the superconducting magnetic energy storage device SMES is part of a high voltage dc transmission system with a dc link. A pole control device, PCM, is needed when providing the network N2 with power.

Figure 6 shows a high voltage system having two 25 voltage-controlled converters VSC1 and VSC2, which are connected via a dc link in the form of a double cable TC. The dc link is bipolar in that the capacitors C11 and C12 and the capacitors C21 and C22 are respectively connected to ground at their connecting point. A superconducting 30 magnetic energy storage device SMES is arranged at one pole of the converter VSC1. It is also possible to arrange the superconducting magnetic energy storage device in the form of a cable as one part of the bipolar dc link.

- 19 -

Although the invention has been described with specific reference to an SMES device having a coil for connection in series with a dc voltage source, the invention is also intended to embrace connection of the coil to an ac 5 voltage source.

The term "high voltage" used in this specification is intended to mean up to 800 kV or even higher. An SMES device may be connected to such high voltage networks and at high powers of up to 1000 MVA. At high voltages, partial 10 discharges, or PD, constitute a serious problem for known insulation systems. If cavities or pores are present in the insulation, internal corona discharges may arise whereby the insulating material is gradually degraded eventually leading to breakdown of the insulation. The electric load on the 15 electrical insulation of the superconducting means of an SMES device according to the present invention is reduced by ensuring that the inner portion of the electrical insulation is at substantially the same electric potential as the superconducting means and that the outer portion of the 20 electrical insulation is at a controlled potential. Thus the electric field is distributed substantially uniformly over the thickness of the electrically insulating portion of the insulation between the inner and outer portions. By having materials for the electrical insulation with similar 25 thermal properties and with few defects in the layers or portions, the possibility of PD is reduced.

An additional advantage of the present invention is that, since the SMES device operates at high voltage, the current can be reduced for a given power density. Thus for 30 a conventional SMES device operating at 20 kV, a similarly powered SMES device according to the invention can operate at about 150 kV resulting in a reduction of the current of about 7.5 times. Since the magnetic force in the cable is proportional to current x magnetic flux density (B), the 35 magnetic force is effectively reduced about 7.5 times. Furthermore, the amount of semiconductor saved will, in this example, amount to approximately 7.5 times. Similarly, the

- 20 -

cooling losses will be essentially reduced. All these factors improve the economic attractiveness of the SMES device.

The present invention is not limited to high 5 temperature superconductivity. Due to the high magnetic field in magnetic energy storage, low temperature superconductors are still attractive, even though they require cryostats operating between 1-15 K, depending on the type of low temperature superconductor utilised. Well known 10 examples are based on Niobium, such as NbTi, Nb<sub>3</sub>Sn and Nb<sub>3</sub>Al. Other examples are V<sub>3</sub>Ga and Nb<sub>3</sub>Ge. The most common superconductor used is NbTi which can be utilised in magnetic field densities up to approximately 9 T at 4.2 K (or 11 T at 1.8 K). For higher field densities, NbTi cannot 15 be used and is replaced by Nb<sub>3</sub>Sn.

- 21 -

CLAIMS

1. An SMES device comprising a coil (1) for connection in series with a voltage source (2), e.g. a dc voltage source, and wound from a superconducting cable (12) having superconducting means (14) which, in use, is maintained at cryogenic temperatures below its critical temperature ( $T_c$ ) and which is surrounded by electrical insulation (20-22), and switch means (3) for short-circuiting the coil (1), characterised in that the said electrical insulation comprises an inner layer (20) of semiconducting material electrically connected to said superconducting means, an outer layer (21) of semiconducting material at a controlled electric potential along its length and an intermediate layer (22) of solid electrically insulating material positioned between said inner and outer layers (20 and 21).

2. An SMES device according to claim 1, characterised in that the device further comprises a cryostat (6) in which the coil (1) and switch means (3) are enclosed.

3. An SMES device according to claim 1 or 2, characterised in that said superconducting means comprises high-temperature superconducting (HTS) means.

4. An SMES device according to claim 3, characterised in that said high-temperature superconducting (HTS) means comprises at least one layer (14) of high-temperature superconducting (HTS) material, cooling means (13) for cryogenically cooling the layer(s) (14) of HTS material below the critical temperature ( $T_c$ ) of the HTS material and thermally insulating means (15) surrounding the layer(s) (14) of HTS material and the cooling means (13).

5. An SMES device according to claim 4, characterised in that the cooling means (13) comprises a

- 22 -

support tube (13) through which cryogenic cooling fluid is passed and in that the at least one layer (14) of HTS material comprises HTS tape or conductors wound in a helical layer on said support tube (13).

5 6. An SMES device according to claim 4 or 5, characterised in that the thermally insulating means (15) comprises an annular space under vacuum and containing thermal insulation (18).

10 7. An SMES device according to any one of the preceding claims, characterised in that the semiconducting outer layer (21) has a resistivity of from 1 to 1000 ohm·cm.

15 8. An SMES device according to claim 6, characterised in that the said outer layer (21) has a resistivity of from 10 to 500 ohm·cm, preferably from 10 to 100 ohm·cm.

9. An SMES device according to any one of the preceding claims, characterised in that the resistance per axial unit length of the semiconducting outer layer (21) is from 5 to 50,000 ohm·m<sup>-1</sup>.

20 10. An SMES device according to any one of claims 1 to 8, characterised in that the resistance per axial unit of length of the semiconducting outer layer (21) is from 500 to 25,000 ohm·m<sup>-1</sup>, preferably from 2,500 to 5,000 ohm·m<sup>-1</sup>.

25 11. An SMES device according to any one of the preceding claims, characterised in that the semiconducting outer layer (21) is contacted by conductor means at said controlled electric potential at spaced apart regions along its length, adjacent contact regions being sufficiently close together that the voltages of mid-points between 30 adjacent contact regions are insufficient for corona discharges to occur within the electrically insulating means.

- 23 -

12. An SMES device according to any one of the preceding claims, characterised in that said controlled electric potential is at or close to earth potential.

13. An SMES device according to any one of the 5 preceding claims, characterised in that the said intermediate layer (22) is in close mechanical contact with each of said inner and outer layers (20 and 21).

14. An SMES device according to any one of claims 1 to 12, characterised in that the said intermediate layer 10 (22) is joined to each of said inner and outer layers (20 and 21).

15. An SMES device according to any one of the preceding claims, characterised in that the strength of the adhesion between the said intermediate layer (22) and each 15 of the semiconducting inner and outer layers (20, 21) is of the same order of magnitude as the intrinsic strength of the material of the intermediate layer.

16. An SMES device according to claim 14 or 15, characterised in that the said layers (20-22) are joined 20 together by extrusion.

17. An SMES device according to claim 16, characterised in that the inner and outer layers (20, 21) of semiconducting material and the insulating intermediate layer (22) are applied together over the superconducting 25 means through a multi layer extrusion die.

18. An SMES device according to any one of the preceding claims, characterised in that said inner layer (20) comprises a first plastics material having first electrically conductive particles dispersed therein, said 30 outer layer (21) comprises a second plastics material having second electrically conductive particles dispersed therein and said intermediate layer (22) comprises a third plastics material.

- 24 -

19. An SMES device according to claim 18, characterised in that each of said first, second and third plastics materials comprises an ethylene butyl acrylate 5 copolymer rubber, an ethylene-propylene-diene monomer rubber (EPDM) or an ethylene-propylene copolymer rubber (EPR), LDPE, HDPE, PP, PB, PMB XLPE, EPR or silicone rubber.

20. An SMES device according to claim 18 or 19, characterised in that said first, second and third plastics 10 materials have at least substantially the same coefficients of thermal expansion.

21. An SMES device according to claim 18, 19 or 20 characterised in that said first, second and third plastics materials are the same material.

15 22. An electric power transmission system comprising an SMES device according to any one of the preceding claims connected to a high voltage source.

23. A high voltage system comprising an SMES device, characterised in that the SMES device has superconducting 20 conductor means which is insulated against high voltage by an electric insulation system arranged concentrically around the conductor means.

24. A high voltage system according to claim 23, characterised in that the high voltage system comprises a 25 high voltage network and that the SMES device is directly connected to the high voltage network without an intermediate transformer.

25. A high voltage system according to claim 24, characterised in that the network is a high voltage dc 30 network.

- 25 -

26. A high voltage system according to claim 25, characterised in that the dc network is at a voltage exceeding 10 kV.

27. A high voltage system according to claim 24, 5 characterised in that the SMES device is coupled to a high voltage ac network via a converter.

28. A high voltage system according to claim 25, comprising several ac networks connected via the dc network and the SMES device, the dc network being connected to the 10 ac networks so that the SMES device can provide the ac networks with power.

29. A high voltage system according to any one of claims 23 to 28, characterised in that the SMES device comprises a coil.

15 30. A high voltage system according to any one of claims 23 to 28, characterised in that the SMES device comprises a cable without turns.

20 31. A high voltage system according to claim 27 of claim 29 when dependent on claim 27, characterised in that the SMES is one part of a bipolar dc link.

25 32. A high voltage system according to any one of claims 23 to 31, characterised in that said insulation system is extruded around the conductor means and comprises a first integral part forming an inner layer in electric contact with the conductor means and having semiconducting properties, a second integral part forming an outer layer around the insulation and having semiconducting properties and an insulating integral third part between the first and second integral parts.

30 33. A high voltage system according to an one of claims 23 to 31, characterised in that said insulation system comprises an all-synthetic film wound in overlapping

- 26 -

layers around the conductor means with an inner part in electric contact with the conductor means and having semiconducting properties, an electrically insulating intermediate part and an outer part surrounding the 5 intermediate part and having semiconducting properties.

34. A high voltage system according to any of claims 23 to 31, characterised in that said insulation system comprising one or more of a cellulose-based, synthetic paper or non-woven fibre material, co-lapped or laminated with a 10 synthetic film and having an inner part in electric contact with the conductor means and having semiconducting properties, an electrically insulating intermediate part and an outer part around said intermediate part and having semiconducting properties.

15 35. A high voltage system according to claim 32, 33 or 34, characterised in that a cooling medium for cooling said superconductive conductor is arranged to flow within the conductor means.

20 36. A high voltage system according to claim 32, 33 or 34 characterised in that a cooling medium for cooling said superconductive conductors is arranged outside of the conductor means.

FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6

# INTERNATIONAL SEARCH REPORT

Int'l Application No  
PCT/EP 98/07740

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 H01F6/00 H02J3/18

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H01F H02J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 431 960 A (ZUCKER) 14 February 1984  see abstract; figure 8A -----	1, 13, 14, 16, 18, 19, 21
Y	GB 2 140 195 A (ELECTRIC POWER RESEARCH) 21 November 1984  see page 1, line 108 - page 2, line 5; figures 1-7 -----	1, 13, 14, 16, 18, 19, 21

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

\* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

29 March 1999

08/04/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Demolder, J

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International Application No

PCT/EP 98/07740

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4431960 A	14-02-1984	US 4904923 A	27-02-1990
GB 2140195 A	21-11-1984	NONE	

## PENT COOPERATION TRE

PCT

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

Date of mailing (day/month/year)
06 October 1999 (06.10.99)

Applicant's or agent's file reference
KN8359-G.MJN

International application No.
PCT/EP98/07740

From the INTERNATIONAL BUREAU

To:

NEWBY, Martin, John  
J.Y. & G.W. Johnson  
Kingsbourne House  
229-231 High Holborn  
London WC1V 7DP  
ROYAUME-UNI

1. The following indications appeared on record concerning:				
<input checked="" type="checkbox"/> the applicant	<input type="checkbox"/> the inventor	<input type="checkbox"/> the agent	<input type="checkbox"/> the common representative	
Name and Address ASEA BROWN BOVERI AB S-721 83 Västerås Sweden		State of Nationality		State of Residence
		SE	SE	
		Telephone No.		
		Facsimile No.		
Teleprinter No.				

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:				
<input type="checkbox"/> the person	<input checked="" type="checkbox"/> the name	<input type="checkbox"/> the address	<input type="checkbox"/> the nationality	<input type="checkbox"/> the residence
Name and Address ABB AB S-721 83 Västerås Sweden		State of Nationality		State of Residence
		SE	SE	
		Telephone No.		
		Facsimile No.		
Teleprinter No.				

3. Further observations, if necessary:				
--	--	--	--	--

4. A copy of this notification has been sent to:				
<input checked="" type="checkbox"/> the receiving Office	<input type="checkbox"/> the designated Offices concerned			
<input type="checkbox"/> the International Searching Authority	<input checked="" type="checkbox"/> the elected Offices concerned			
<input checked="" type="checkbox"/> the International Preliminary Examining Authority	<input type="checkbox"/> other:			

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer  Catherine Massetti
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

## PATENT COOPERATION TREATY

PCT

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)Date of mailing (day/month/year)  
23 August 1999 (23.08.99)

From the INTERNATIONAL BUREAU

To:

NEWBY, Martin, John  
J.Y. & G.W. Johnson  
Kingsbourne House  
229-231 High Holborn  
London WC1V 7DP  
ROYAUME-UNI

Applicant's or agent's file reference KN8359-G.MJN	IMPORTANT NOTIFICATION		
International application No. PCT/EP98/07740	International filing date (day/month/year) 30 November 1998 (30.11.98)		

1. The following indications appeared on record concerning:

the applicant     the inventor     the agent     the common representative

Name and Address ASEA BROWN BOVERI AB S-721 78 Västerås Sweden	State of Nationality SE	State of Residence SE
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

the person     the name     the address     the nationality     the residence

Name and Address ASEA BROWN BOVERI AB S-721 83 Västerås Sweden	State of Nationality SE	State of Residence SE
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	

3. Further observations, if necessary:

4. A copy of this notification has been sent to:

<input checked="" type="checkbox"/> the receiving Office	<input type="checkbox"/> the designated Offices concerned
<input type="checkbox"/> the International Searching Authority	<input checked="" type="checkbox"/> the elected Offices concerned
<input checked="" type="checkbox"/> the International Preliminary Examining Authority	<input type="checkbox"/> other:

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Catherine Massetti Telephone No.: (41-22) 338.83.38
---	--

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 98/07740

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 H01F6/00 H02J3/18

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 H01F H02J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category <sup>a</sup>	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 431 960 A (ZUCKER) 14 February 1984  see abstract; figure 8A -----	1, 13, 14, 16, 18, 19, 21
Y	GB 2 140 195 A (ELECTRIC POWER RESEARCH) 21 November 1984  see page 1, line 108 - page 2, line 5; figures 1-7 -----	1, 13, 14, 16, 18, 19, 21

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority, claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*W\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*F\* document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
29 March 1999	08/04/1999
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Authorized officer  Demolder, J

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International Application No  
PCT/EP 98/07740

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4431960 A	14-02-1984	US 4904923 A	27-02-1990
GB 2140195 A	21-11-1984	NONE	

## PCT

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference KN8359-G.MJN	<b>FOR FURTHER ACTION</b>		See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)
International application No. PCT/EP98/07740	International filing date (day/month/year) 30/11/1998	Priority date (day/month/year) 28/11/1997	
International Patent Classification (IPC) or national classification and IPC H01F6/00			
Applicant ABB AB et al			

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
2. This REPORT consists of a total of 5 sheets, including this cover sheet.

This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 2 sheets.

3. This report contains indications relating to the following items:

- I  Basis of the report
- II  Priority
- III  Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV  Lack of unity of invention
- V  Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI  Certain documents cited
- VII  Certain defects in the international application
- VIII  Certain observations on the international application

Date of submission of the demand 11/06/1999	Date of completion of this report 02.02.00
Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer Mayne, J Telephone No. +49 89 2399 8572



# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP98/07740

## I. Basis of the report

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):

**Description, pages:**

1-20 as originally filed

**Claims, No.:**

1-18 as originally filed

19-31 as received on 20/12/1999 with letter of 15/12/1999

### Drawings, sheets:

1/4-4/4 as originally filed

2. The amendments have resulted in the cancellation of:

the description, pages:

the claims, Nos.: \_\_\_\_\_

the drawings, sheets:

3.  This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

#### 4 Additional observations, if necessary:

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/EP98/07740

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

**1. Statement**

Novelty (N)	Yes:	Claims 1-31
	No:	Claims
Inventive step (IS)	Yes:	Claims 1-31
	No:	Claims
Industrial applicability (IA)	Yes:	Claims 1-31
	No:	Claims

**2. Citations and explanations**

**see separate sheet**

**VIII. Certain observations on the international application**

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

**see separate sheet**

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/EP98/07740

**Re Item V**

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following document

D1: GB-A-2140195

Article 33(2) and (3) PCT

Claim 1 of the application concerns an SMES device comprising superconducting means which is surrounded by electrical insulation. The electrical insulation is defined as having 3 layers 20-22. The inner layer of semiconducting material (20) is electrically connected to the superconducting means. The outer layer of semiconducting material (21) is at a controlled electrical potential. Between layers 20 and 21 is a layer of electrically insulating material (22).

D1 discloses high voltage electrical cables for cryogenic applications. A conductor shield, an insulation layer and an insulation shield are arranged round the central conducting or superconducting strands. There is an outer layer of conductive or superconductive material (Fig. 1, 3-7).

D1 does not disclose that the outer semiconducting layer is at a controlled electric potential.

Claims 1-31 are therefore novel.

Maintaining the semiconducting outer layer at a controlled electric potential eliminates the need for an outer metal sheath. The diameter of the cable can thereby be reduced and more turns can be provided for a given size of winding, enabling higher energy storage. Such a cable is useful in an SMES device since the device can then be coupled to a high voltage network without the need for a transformer.

This was not foreseeable from D1. Claims 1-31 therefore fulfill the requirements of Article 33(3) PCT.

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/EP98/07740

**Re Item VIII**

Certain observations on the international application

**Article 6 PCT**

In claim 12 "close to" earth potential has not been defined.

In claim 19 the abbreviations may lead to confusion. The full name for these compounds is also required.

All claims require support in the description. Certain claims could not be found in the description, e.g. nos. 9-11 and 15 and 26.

TiBaCaCuO (p. 11, l. 12) should presumably be TiBaCaCuO.

19. An SMES device according to claim 18, characterised in that each of said first, second and third plastics materials comprises an ethylene butyl acrylate copolymer rubber, an ethylene-propylene-diene monomer rubber (EPDM) or an ethylene-propylene copolymer rubber (EPR), LDPE, HDPE, PP, PB, PMB XLPE, EPR or silicone rubber.

20. An SMES device according to claim 18 or 19, characterised in that said first, second and third plastics materials have at least substantially the same coefficients 10 of thermal expansion.

21. An SMES device according to claim 18, 19 or 20, characterised in that said first, second and third plastics materials are the same material.

22. An SMES device according to any one of claims 1 15 to 13, characterised in that said inner layer comprises an all-synthetic film wound in overlapping layers around the superconducting means.

23. An SMES device according to any of claims 1 to 13, characterised in that each of the said layers of the 20 electrical insulation comprises one or more of a cellulose-based, synthetic paper or non-woven fibre material, co-lapped or laminated with a synthetic film.

24. An electric power transmission system comprising an SMES device according to any one of the preceding claims 25 connected to a high voltage source.

25. A high voltage system comprising an SMES device according to any one of claims 1 to 23.

26. A high voltage system according to claim 25, characterised in that the high voltage system comprises a 30 high voltage network and that the SMES device is directly connected to the high voltage network without an intermediate transformer.

27. A high voltage system according to claim 26, characterised in that the network is a high voltage dc network.

28. A high voltage system according to claim 27, 5 characterised in that the dc network is at a voltage exceeding 10 kV.

29. A high voltage system according to claim 26, characterised in that the SMES device is coupled to a high voltage ac network via a converter.

10 30. A high voltage system according to claim 27, comprising several ac networks connected via the dc network and the SMES device, the dc network being connected to the ac networks so that the SMES device can provide the ac networks with power.

15 31. A high voltage system according to claim 27, characterised in that the SMES is one part of a bipolar dc link.

## PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION  
(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

United States Patent and Trademark  
Office  
(Box PCT)  
Crystal Plaza 2  
Washington, DC 20231  
ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 09 August 1999 (09.08.99)
---

International application No.  
PCT/EP98/07740

Applicant's or agent's file reference

KN8359-G.MJN

International filing date (day/month/year)  
30 November 1998 (30.11.98)

Priority date (day/month/year)

28 November 1997 (28.11.97)

## Applicant

HOLMBERG, Pär et al

1. The designated Office is hereby notified of its election made:

in the demand filed with the International Preliminary Examining Authority on:

11 June 1999 (11.06.99)

in a notice effecting later election filed with the International Bureau on:

---

2. The election  was

was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Authorized officer

Jean-Marie McAdams

Facsimile No.: (41-22) 740.14.35

Telephone No.: (41-22) 338.83.38

18  
PATENT COOPERATION TREATY

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>KN8359-G.MJN</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/EP 98/ 07740</b>	International filing date (day/month/year) <b>30/11/1998</b>	(Earliest) Priority Date (day/month/year) <b>28/11/1997</b>
Applicant <b>ASEA BROWN BOVERI AB et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 2 sheets.

It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing :

contained in the international application in written form.

filed together with the international application in computer readable form.

furnished subsequently to this Authority in written form.

furnished subsequently to this Authority in computer readable form.

the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2.  Certain claims were found unsearchable (See Box I).

3.  Unity of invention is lacking (see Box II).

4. With regard to the title,

the text is approved as submitted by the applicant.

the text has been established by this Authority to read as follows:

5. With regard to the abstract,

the text is approved as submitted by the applicant.

the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the drawings to be published with the abstract is Figure No. 1

as suggested by the applicant.

because the applicant failed to suggest a figure.

because this figure better characterizes the invention.

None of the figures.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 98/07740

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H01F6/00 H02J3/18

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H01F H02J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 431 960 A (ZUCKER) 14 February 1984  see abstract; figure 8A -----	1, 13, 14, 16, 18, 19, 21
Y	GB 2 140 195 A (ELECTRIC POWER RESEARCH) 21 November 1984  see page 1, line 108 - page 2, line 5; figures 1-7 -----	1, 13, 14, 16, 18, 19, 21

 Further documents are listed in the continuation of box C. Patent family members are listed in annex.

## \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

29 March 1999

08/04/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Demolder, J

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International Application No

1/EP 98/07740

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4431960	A 14-02-1984	US 4904923 A	27-02-1990
GB 2140195	A 21-11-1984	NONE	